

Work Order ID 147396

Wednesday, June 08, 2016 3:11:28 PM

147396

Page 1

Item ID: D4088-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Shoulder Harness
Start Date: 5/19/2016 Start Qty: 5.00 ***5*** Cust Item ID:
Required Date: 6/10/2016 Req'd Qty: 5.00 ***5*** Customer:
Reference:

Approvals: Process Plan: MLJ Date: JUN 10 2016 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4088	A

100		0.00							DAS 13 9-89
-----	--	------	--	--	--	--	--	--	-------------------

100

Purchasing

Purchasing

Memo

Issue P/O: 32673

Manufacture D4088-043 as per Dwg D4088

Supplier:AMSAFE INC.

Certificate of conformity is required

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Packaging

Memo

0.02

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Quality Control

Memo

ensure buckle engages and dis-engages correctly for every unit.

0.00

DAS
38
9-89

JUL 18 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 147396

Wednesday, June 08, 2016 3:11:28 PM

147396

Page 2

Item ID: D4088-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Shoulder Harness

Start Date: 5/19/2016 Start Qty: 5.00

5

Cust Item ID:

Required Date: 6/10/2016 Req'd Qty: 5.00

5

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool # Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Identify as per dwg & Stock Location: 5740

0.00

130

Packaging

Memo

0.01

DAS
Q
9-89WTSPC

JUL 18 2016

Packaging

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.08

DAS
21
9-89

JUL 19 2016

Quality Control

DAS
21
9-89

JUL 19 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐																			

Wednesday, June 08, 2016 3:11:32 PM

Page 1

147396

D4088-043

Required Date: 6/10/2016

Required Qty: 5.00

Comments: IPP REV:A NEW ISSUE DD 10.04.29 VERIFIED:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
3221-1-021-2396		Purchased	No			110	Each	0.0000	1	5			
3221-1-021-2396													
Shoulder Harness													
									**	5x 8p/16-7-S			

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

SPECIFICATION CONTROL DRAWING



D4088-043 SHOULDER HARNESS

NOTES:

- 1) PURCHASE: AMSAFE INC. P/N 3221-1-021-2396
3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NO. 3221-1-021-2396
CUST. P/N: D4088-043
RATED: 3000 LBS DATE OF MFG
CONFORMS TO TSO-C114
- 7) WEIGHT: 1.5 lbs

RELEASED
2010-04-27

DESIGN	91	DART AEROSPACE LTD	
DRAWN	91	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4088	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		SHOULDER HARNESS	NTS
DATE	10.03.16	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO32673

Purchase Order Date 6/13/2016 9:18:00 AM

PO Print Date 6/14/2016

Page Number 1 of 2

Order From :

VU-AMS001

Ship To : DART AEROSPACE LTD

AMSAFE INC.
1043 NORTH 47TH AVENUE
PHOENIX, AZ 85043
US

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
JUN 14 2016

Contact Name

Vendor Phone 602 850 2850

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Ship To Contact

Ship To Phone

Ship Via:

FedEx 2nd day collect

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
3	3221-1-011-2396 AS PER DWG D4088 REV. A B147364 AMSAFE P/N: 3221-1-011-2396	Shoulder Harness	7/5/2016 Yes 7/5/2016		8.00 Each	\$340.48	\$2,723.84

Line Total: \$2,723.84

4	3221-1-021-2396 AS PER DWG D4088 REV. A B147396 AMSAFE P/N: 3221-1-021-2396	Shoulder Harness	7/5/2016 Yes 7/5/2016		5.00 Each	\$340.48	\$1,702.40
---	--	------------------	-----------------------------	--	--------------	----------	------------

Line Total: \$1,702.40

Note:

6/14/2016



1043 North 47th Avenue
PHOENIX, AZ 85043
PH (602)850-2850 FAX (602)278-3479

INVOICE

Please remit to:
AmSafe, Inc.
Lockbox 911928
P.O. Box 31001-1928
Pasadena, CA 91110-1928

*** DUPLICATE ***

Customer No.	Invoice Date	Sales Order Number	Invoice Number	Purchase Order Number	Page No.
10006113	06/30/16	S334679	I416411	PO32673	1

BILL TO: DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

SHIP TO: DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

SOLD TO: DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

REMARKS:

1517-9324-0

Freight

COLLECT

COMMENTS:

A004 - FAA-PMA/TSO ** ALL DART ORDERS SHOULD BE RETROFIT***
A005 - RIGHT OF ENTRY A007 FAI BY SELLER & MAINTAINED BY SELLER
A016 - PERSONAL QUALIFICATION
A026 - CERTIFICATION OF MATERIAL CONFORMANCE
A040 - NOTIFICATION OF QUALITY ESCAPE
A041 - QUALITY MANAGEMENT SYSTEM
A042 - DART NOTIFICATION BY SUPPLIER
A043 - RETENTION OF QUALITY DOCUMENT
DART HOLDS STC CERTIFICATE AND IS ALLOWED TO PURCHASE NON PMA PARTS


TERMS		ORDER DATE	SALESPERSON	SHIP DATE	SHIP VIA	FedEx 2nd Day		FOB POINT	
NET30		06/14/16	BLEAKE	06/30/16	TRACKING #	679232113688		ORIGIN	
LINE NO	ITEM	DESCRIPTION	UM	QUANTITY			T A	UNIT PRICE	EXTENDED AMOUNT
				LOT	BACK ORD.	SHIPPED	X		
1	3221-1-011-2396	DRAWING: 3221 REV: D Customer P/N: D4088-041 REST SYS ASSY W/IR	EA			0.0	8.0 N	340.48 USD	2,723.84 USD
				S334679-1				TSO-C114	
2	3221-1-021-2396	DRAWING: 3221 REV: D Customer P/N: D4088-043 REST SYS ASSY W/IR	EA			0.0	5.0 N	340.48 USD	1,702.40 USD
				S334679-2				TSO-C114	
							SP 16-7-5		
3	3104-1-061-2396	DRAWING: 3104 REV: G Customer P/N: D3636041 REST SYS ASSY W/IR	EA			0.0	4.0 N	386.83 USD	1,547.32 USD
				S334679-3				TSO-C114	

Non-Taxable: 5.973.56 USD

Line Total: 5.973.56 USD

Total Taxable:

The undersigned, exporter/supplier of goods listed in this invoice/document, declares that according to the rule being valid in the European Union, the origin of these goods is the United States of America.

Signature:  Date: JUN 30 2016 Phoenix, Arizona, USA

Sales Tax: Total: 5.973.56 USD

AmSafe

1043 NORTH 47th AVENUE
PHOENIX, AZ 85043
PH (602)850-2850 FAX (602)850-2812

SHIPPER/CERTIFICATION



CUSTOMER NO.	SALES ORDER NO.	BOL NO.	DATE PRINTED	PAGE NO.
10006113	S334679	000416050	06/30/16	1

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY
HAWKESBURY, ON K6A 1K7
Canada

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY
HAWKESBURY, ON K6A 1K7
Canada

Ship to ID: 10006113

CUSTOMER ORDER NO.	TERMS	FREIGHT	SHIP VIA	F.O.B.
PO32673	NET30	COLLECT	FedEx 2nd Day	ORIGIN

Sales Order Remarks: 1517-9324-0

SHIPMENT REFERENCE 000416050

Remarks:

A004 - FAA-PMA/TSO ** ALL DART ORDERS SHOULD BE RETROFIT**
A005 - RIGHT OF ENTRY A007 FAI BY SELLER & MAINTAINED BY SELLER
A016 - PERSONAL QUALIFICATION
A026 - CERTIFICATION OF MATERIAL CONFORMANCE
A040 - NOTIFICATION OF QUALITY ESCAPE
A041 - QUALITY MANAGEMENT SYSTEM
A042 - DART NOTIFICATION BY SUPPLIER
A043 - RETENTION OF QUALITY DOCUMENT

~~DART HOLDS STC CERTIFICATE AND IS ALLOWED TO PURCHASE NON-PMA PARTS~~

LINE	ITEM NUMBER / DESCRIPTION	DRAWING AND CERTIFICATIONS	DUE DATE	QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED
3	Cust. Item No.: D3636041 3104-1-061-2396 REST SYS ASSY W/IR	DRAWING: 3104 REV: G CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S334679-3	2016-07-05 4.0	4 Expire Ref.	4	0
1	Cust. Item No.: D4088-041 3221-1-011-2396 REST SYS ASSY W/IR	DRAWING: 3221 REV: D CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S334679-1	2016-07-05 8.0	8 Expire Ref.	8	0
2	Cust. Item No.: D4088-041 B28T-S-021-2396 W/IR	DRAWING: 3221 REV: D CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S334679-2	2016-07-05 5.0	5 Expire Ref.	5 5	0

SP16-7-5.

I certify that the article(s) listed above conform to all applicable design data, and (as applicable):

FAA PMA, FMVSS 209, FMVSS 302, 14 CFR 25.853

FAA TSO C22f, C22g, C114 or TSO Plus

The conditions and tests required for TSO approval of the article(s) are minimum performance standards. It is the responsibility of those installing the article(s) either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the standards applicable to the TSO article including (when applicable) the integrated non-TSO function. The non-TSO function is described as the seat belt airbag system including the inflator cable assembly and electrical components that have not been evaluated for functionality or installation requirements. TSO articles including the integrated non-TSO function must have separate approval for installation in an aircraft. The article(s) may be installed only if performed under 14 CFR part 43 or the applicable airworthiness requirements. Product shipped meets all material, processing and test requirements. Certifications/Test reports as applicable are retained on file at AmSafe Aviation.

AmSafe Authorized Signature: X

Printed Name: Stephanie Turner

Dated: JUN 30 2016

COUNTRY OF ORIGIN USA

1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: S334679-2-IG	
4. Organization Name and Address: AMSAFE, INC 1043 NORTH 47 TH AVE PHOENIX, AZ. 85043				5. Work Order/Contract/Invoice Number: S334679-2 0 PAGES ATTACHED		
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	REST SYS ASSY W/IR	3221-1-021-2396	4	N/A	NEW	
12. Remarks: DRAWING: 3221 REV: D TSO: C114 CUSTOMER P/N: D4088-043 DATE CODE: A0616 EXPORT AIRWORTHINESS APPROVAL: THIS ARTICLE MEETS THE SPECIAL REQUIREMENTS OF CANADA						
13a. Certifies the items identified above were manufactured in conformity to: ☒ Approved design data and are in a condition for safe operation. ☐ Non-approved design data specified in Block 12.			14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature: 		13c. Approval/Authorization No.: ODA602112NM		14b. Authorized Signature:		14c. Approval/Certificate No.:
13d. Name (Typed or Printed): IRENE GOMEZ		13e. Date (dd/mm/yyyy): 30/JUN/2016		14d. Name (Typed or Printed):		14e. Date (dd/mm/yyyy):
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						